


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



THE PLANT DISEASE REPORTER

Issued By

CROPS RESEARCH DIVISION

AGRICULTURAL RESEARCH SERVICE

UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 249

INDEX TO SUPPLEMENTS 243-248, 1957

Supplement 249

Issued June 15, 1958



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Crops Research Division serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

Issued by

MYCOLOGY AND PLANT DISEASE REPORTING SECTION

INDEX TO PLANT DISEASE REPORTER

SUPPLEMENTS 243-248, 1957

Compiled by Nellie W. Nance

Crops Research Division
Supplement 249

Plant Industry Station, Beltsville, Maryland
Index to Supplements, 1957

LIST OF SUPPLEMENTS

- Supplement 243. A preliminary list of Nicaraguan plant diseases, pp. 1-19. June 15, 1957
By S. C. Litzenberger and John A. Stevenson.
- Supplement 244. Host index of Verticillium albo-atrum Reinke & Berth. (including Verticillium dahliae Kleb.). pp. 23-49. June 15, 1957. By Arthur W. Engelhard.
- Supplement 245. Physiologic races of Puccinia graminis in the United States in 1956. pp. 53-60. June 15, 1957. By D. M. Stewart, R. U. Cotter and B. J. Roberts.
- Supplement 246. Temperature as a factor in the infection of cotton seedlings by ten pathogens. pp. 63-84. August 15, 1957. By C. H. Arndt.
- Supplement 247. A forest disease survey of Alaska. pp. 87-98. September 15, 1957. By James W. Kimmey and John A. Stevenson.
- Supplement 248. Some new and important plant disease occurrences and developments in the United States in 1956. pp. 101-140. November 15, 1957. Compiled by Nellie W. Nance.
- Supplement 249. Index to Supplements 243-248 (pp. 143-153). Issued June 15, 1958. By Nellie W. Nance.

SUBJECT INDEX

- | | |
|---|---|
| Acti-dione, 123, 132 | --- dianthi, 127 |
| Actinonema rosae, 15 | --- macrospora, 9 |
| Agaricus campestris; Dactylium dendroides, 132; pests, method of killing, 132 | --- porri, 4 |
| Agri-mycin, 135 | --- solani, 12, 16, 137, 139 |
| Agri-mycin 100, 139 | --- tenuis, 128 |
| Agrostis, 139 | Ammonia pellets, 122 |
| Agrobacterium tumefaciens, 121, 122 | Angiopsora zeae, 18 |
| Alabama, 58, 60, 124 | Anisomycin, 132 |
| Alaska, 87 | Aphelenchoides oryzae, 116 |
| Albizia julibrissin; Fusarium oxysporum f. perniciosum, 129 | Aphis gossypii, 119, 135, 136 |
| Alfalfa: Ascochyta imperfecta, 124; Cer-
spora medicaginis, 125; Coryne-
bacterium insidiosum, 124, 125;
Fusarium spp., 124; Xanthomonas
alfalfae 125, 1st rept. in this country
(Iowa), 111 | --- spiraecola, 119 |
| Allyl bromide, 134 | Apple: Gymnosporangium juniperi-
virginianae, 120; Nectria
galligena, 120; Physalospora
obtusa, 120; stem pitting
(virus ?), 120; Venturia
inaequalis, 120 |
| Aloe variegata; Pythium ultimum, 126 | Arachis hypogaea: Sclerotium
rolfsii, 132 |
| Alternaria sp(p.), on soybean, 16, 124
135 | Arceuthobium campylopodum f.
tsugensis, 87 |
| --- brassicae, 5 | Arizona, 133, 137 |
| --- dauci, 8 | Arkansas, 116 |
| | Arrhenodes minuta, 131 |

- AS-15 agricultural streptomycin, 139
Ascochyta gossypii, 63
 --- imperfecta, 124
Aspergillus niger, 4
Asperisporium caricae, 5
 Atlantic Coast Seaboard States, 136
- Bacterium alfalfae*, 12
 --- *stewartii*, on sweet corn, 118
Balsania strangulans, 13
 Barley: *Erysiphe graminis* f. sp. *hordei*, 115;
Helminthosporium sativum, 115; *Puccinia graminis* f. sp. *tritici*, 115; *Rhynchosporium secalis*, 116; stripe mosaic (virus), 116; *Ustilago nuda*, 116
 Bean: *Corynebacterium flaccumfaciens*, 138;
C. flaccumfaciens var. *aurantiacum* n. var. (Nebraska), 114; *Fusarium moniliforme*, 65; *Helminthosporium victoriae*, 1st rept. on this host (North Carolina), 114; *Pellicularia filamentosa*, 138; *Rhizoctonia solani*, 138; root rot, 138; *Sclerotinia sclerotiorum*, 138
 --- lima: *Phytophthora phaseoli*, 138; *Pseudomonas syringae*, 139
 Beet, sugar: yellow vein disease (? virus), 132
Belonolaimus gracilis, 110, 123
 BHC toxicity, to cotton, 10
 Blossom-end rot, of tomato, 137, 138
 Blueberry: *Agrobacterium tumefaciens*, 122; mosaic (virus), 122; shoestring (virus), 122
 Borax, 122
 Bordeaux mixture, 129
Botryodiplodia phaseoli, 63
Botrytis cinerea, 119, 122, 128, 137
 --- *gladiolorum*, 127
Bremia lactucae, 136
 Broccoli: *Peronospora parasitica*, 135
Bromus spp.: *Ustilago bullata*, 123
 --- *catharticus*: *Ustilago bullata*, 123
 Bushes: *Verticillium albo-atrum*, 32
- Cabbage: *Fusarium oxysporum* f. *conglutinans*, 135; *Pseudomonas cichorii*, 135
 --- variety, resistant to yellows and mosaic, 135
 Calcium cyanamid, 134
 California, 58, 105, 111, 113, 114, 115, 119, 121, 122, 125, 126, 128, 129, 133, 136, 140
Camellia spp.: *Sclerotinia camelliae*, 1st rept. on this host in South Carolina, 110
 Canada, 65, 137
 Cantaloupe: *Alternaria*, 135
Cantharellus floccosus, 97
 Captan, 119, 127, 137
 Captan 50-W, 123
 Carrot: motley dwarf (virus), 1st rept. in this country (California), 114
Carya illinoensis: *Cladosporium effusum*, 126
Celtis occidentalis: eriophyid mite and powdery mildew fungus associated with witches'-broom, 129
Cephalosporium gramineum, 110
Ceratocystis fagacearum, 131
 --- *fimbriata*, 136
 --- *ulmi*, 132
Cercospora arachidicola, 4
 --- *beticola*, 4
 --- *canescens*, 8, 9, 18
 --- *capsici*, 5
 --- *caribaea*, 12
 --- *coffeicola*, 6
 --- *cruenta*, 18
 --- *fusimaculans*, 13
 --- *henningsii*, 12
 --- *kikuchii*, 9, 123
 --- *medicaginis*, 125
 --- *musae*, 13
 --- *nicotianae*, 13
 --- *oryzae*, 13
 --- *personata*, 4
 --- *purpurea*, 14
 --- *ricinella*, 15
 --- *sesami*, 16
 --- *stizolobii*, 12
 --- *zebrina*, 17
 Cereal crops: diseases in Texas, 115
 Cereal mosaic viruses, 115
Chaetomium spp., 132
Chamaecyparis lawsoniana: *Phytophthora lateralis*, 129
 Cherry: Lambert mottle (virus), 120; twisted leaf virus, 120
 ---, Mazzard: *Agrobacterium tumefaciens*, 121
 ---, sour: *Stereum purpureum*, 121
 Chlorobromopropene, 134
 Chloropicrin, 120
 Chlorosis, of soybean, 124
 Chronic decline, of Citrus, 119
 Chrysanthemum: flower distortion, transmission of the virus by dodder, 126; *Itersonilia perplexans*, 126
Chrysomyxa ledicola, 90, 91, 92, 97
 --- *pyrolae*, 90, 91, 92
 Citrus: chronic decline (bud-union disorder), 119; copper spray damage, 118; new disease in Florida, 118; *Phytophthora* spp., 119; spreading decline, of the 133 chemicals screened, none showed promise, 119; tristeza (virus), 119
 --- fruits: russet, 119
 --- limon: *Colletotrichum gloeosporioides*, 119; new disease on sweet orange rootstock, 119; tree collapse as related to sodium, 118

- Cladosporium brunneo-atrum*, 119
 --- *effusum*, 126
 --- *fulvum*, 137
 --- *herbarum*, 6, 14, 18
Claviceps tripsaci, 9
Clitocybe tabescens, 130
Colletotrichum sp., 133
 --- *atramentarium*, 129
 --- *coffeanum*, 6
 --- *dematium*, 8, 11, 12
 --- *falcatum*, 15, 17
 --- *gloeosporioides*, 11, 119
 --- *gossypii*, 63
 --- *graminicola*, 12, 17
 --- *lagenarium*, 6, 7, 135
 --- *lindemuthianum*, 14
 --- *linicola*, 116
 --- *phomoides*, 137
 --- *truncatum*, 15
 Colorado, 58, 59, 60, 138, 139
 Conifers: *Phaciidiopycnis pseudotsugae*, 129
Coniophora puteana, 88, 90
 Connecticut, 120, 121, 127, 134
 Copper A, 126
 Corn: *Belonolaimus gracilis*, 1st rept. from New Jersey on this host, 110; *Diplodia zeae*, 117, 118; *Fusarium* spp., 118; *F. moniliforme*, 65; *Gibberella* spp., 118; *G. zeae*, 117, 118; *Helminthosporium* spp., 118; *Pythium graminicola*, 118; *P. debaryanum*, 118; *Striga* sp., 1st rept. from South Carolina 110; *Striga* sp. 1st rept. in Western Hemisphere (North Carolina), 111; *Striga asiatica*, 118; technique for inoculating plants, 117
 ---, sweet: *Bacterium stewartii*, 118; *Helminthosporium maydis*, 118
Corticium salmonicolor, 6
Corynebacterium flaccumfaciens, 138
 --- --- var. *aurantiacum* n. var., 114
 --- *insidiosum*, 124, 125
Corynespora cassiicola, 9
Cotinus coggygria: rust, new to North America (Georgia), 113
 Cotton: *Ascochyta gossypii*, 65; *Botryodiplodia phaseoli*, 65; *Colletotrichum gossypii*, 65; estimated losses in 1956, 133; fungicides for control of seedling disease complex, 133; *Fusarium moniliforme*, 65; *F. oxysporum* f. *vasinfectum*, 65, 133; leaf scald, 133; *Meloidogyne incognita acrita*, 133; *Pythium ultimum*, 65; *Rhizoctonia solani*, 65, 133; seedling necrosis, 133; *Thielaviopsis basicola*, 65; *Verticillium albo-atrum*, 65; *Xanthomonas malvacearum*, 65
 --- seedlings: temperature as a factor in infection by ten pathogens, 65
 Cowpea: *Botryodiplodia phaseoli*, 65
 Crag 974, 127
 Cranberry: rots, 122
 Crinkle leaf, of prune, 121
Cronartium fusiforme, 130
 --- *occidentale*, 122
 --- *ribicola*, 122, 130
 --- *strobilinum*, 130
Cryptochaete (*Corticium*) *polygonia*, 93
 Cucumber: *Erysiphe cichoracearum*, 135; *Fusarium oxysporum* f. *cucumerinum*, 135; *Pseudomonas lachrymans*, 136; superior as indexing host for stone fruit viruses, 136
Cucumis anguria: *Pseudomonas lachrymans*, 136
 Cucurbits: *Colletotrichum lagenarium*, 135; *Pseudoperonospora cubensis*, 136; western aster yellows (virus), 136
Cupressus arizonica: *Phomopsis juniperovora*, 130
Curvularia sp., 14
 --- *crepini*, 112
 --- *lunata*, 19
 --- *trifolii*, 127
 Cycloheximide, 132, 137
Cynodon dactylon: *Helminthosporium stenospilum*, new disease on this host (Florida), 111

Dactylium dendroides, 132
Daedalea confragosa, 94
 --- *unicolor*, 89
Daldinia occidentalis, 89
 2, 4-D damage, to cotton, 10
 Deficiency diseases: of grape, 122
 Delaware, 124, 132, 136, 138
 Dew deposits, device for recording starting time and duration of, 105
Diabrotica undecimpunctata howardi, 135
Dianthus caryophyllus: *Alternaria dianthi*, 127; *Fusarium oxysporum* f. *dianthi* retarded by *Ditylenchus* spp., 127; phytotoxic effects following dip treatments with terramycin and Streptomycin S, 126; *Pseudomonas caryophylli*, 127; *Uromyces caryophyllinus*, 127
Diaporthe phaseolorum var. *caulivora*, 124
 Dichlone, 119, 129
Dielhiomyces microspora, 132
Dioscorea floribunda: *Meloidogyne* spp., 132
Diplocarpon rosae, 128
Diplodia gossypina, 9
 --- *theobromae*, 17, 130
 --- *zeae*, 117, 118
 Diseases of cereal crops, 115; forage and cover crops, 123; fruit crops,

(Diseases), 118; nut crops, 126; ornamentals, 126; shrubs and trees, 129; special crops, 132; vegetable crops, 134
 Dithane Z-78, 134
 Ditylenchus spp., 127
 --- dipsaci, 134
 Dothichloë nigricans, 14
 Dothidella parryi, 4
 --- ulei, 11
 Dowicide A, 121, 132
 Dowicide A-M245, 121
 Durella sp., 90
 Dwarfmistletoe, on Tsuga heterophylla, 87

 Eichleriella spinulosa, 93
 Elsinoë ledi, 114
 --- lepagei, 113
 --- leucospila, 114
 Elymus virginicus var. glabriflorus: Rado-
 pholus gracilis, 123
 Endoconidiophora, see Ceratocystis
 Endothia parryi, 4
 England, 126
 Entyloma dahliae, 8
 Epidemiology of Phytophthora infestans, effect
 of location and races on, 140
 Erwinia amylovora, 121
 --- atroseptica, 139
 --- carotovora, 4, 8, 16, 139
 Erysiphe cichoracearum, 7, 8, 16, 114, 135
 --- graminis avenae, 115
 --- --- f. sp. hordei, 115
 --- polygoni, 14, 15, 18, 113

 Feijoa sellowiana: Sphaceloma psidii, 1st
 rept. in this country (Florida), 114
 Feralum, 116
 Ferbam, 134
 Fertilizer injury, to lettuce, 137
 Festuca elatior var. arundinacea: Scler-
 ophthora macrospora, 1st rept. on this
 host (Indiana), 111
 Field crops: Verticillium albo-atrum, 37
 Flax: Colletotrichum linicola, 116
 Florida, 58, 60, 111, 113, 114, 115, 118,
 119, 127, 130, 134, 135, 138
 "Flowers": Verticillium albo-atrum, 42
 Fomes annosus, 95
 --- applanatus, 88, 89, 92, 93, 94, 95
 --- fomentarium, 89
 --- igniarius, 88, 89, 93, 94
 --- nigrolimitatus, 92
 --- phellos, 131
 --- pini, 87, 90, 92, 95, 97
 --- pinicola, 88, 87, 91, 92, 96, 97
 --- robustus, 96, 97
 --- roseus, 91
 --- tenuis, 93
 Forecasting, late blight, 139, 140
 Forest disease survey of Alaska, Suppl. 247,
 pp. 87-98

Fraxinus spp.: Puccinia peridermi-
 ospora, 129
 Fumago vagans, 6, 10
 Fusarium sp(p.), 5, 6, 10, 13 ff.;
 on alfalfa, 124; corn, 118
 --- black rot, of Pelargonium spp.,
 127
 --- malli, 4
 --- moniliforme, 10, 16, 63
 --- nivale, 117, 123
 --- oxysporum, 4, 10, 16
 --- --- f. conglutinans, 135
 --- --- f. dianthi, 127
 --- --- f. gladioli, 127
 --- --- f. lycopersici, 137
 --- --- f. nicotianae, 133
 --- --- f. pernicius, 129
 --- --- f. tracheiphilum, 125
 --- --- f. vasinfectum, 14, 63, 133
 --- roseum, 10, 125, 129
 --- solani, 10
 --- vasinfectum, 10
 Fusicladium sp., 14

 Ganoderma oregonense, 92
 Georgia, 58, 60, 65, 111, 113, 115,
 130, 134, 137
 Geotrichum sp., 132
 Gibberella spp., on corn, 118
 --- zeae, 18, 117, 118
 Gladiolus spp.: Botrytis gladiolorum,
 127; cucumber mosaic virus, 127;
 Curvularia trifolii, 127; Fusarium
 oxysporum f. gladioli, 127;
 Rhizopus arrhizus, 127; Stromatinia
 root rot, 127
 Gloeocercospora sorghi, 17
 Gloeosporium maxillariae, 11
 Gloeotinia temulenta, 123
 Gnomonia veneta, 130
 Golf greens: Fusarium nivale, 123
 Gomphrena globosa: ringspot (virus),
 127
 --- globosa: tomato ringspot virus,
 1st rept. on this host (Maryland),
 112
 Grape, see also Vitis; boron deficiency,
 122; Botrytis cinerea, 122
 Graphium rigidum, 131
 Griseofulvin, 121, 129, 132
 Guayule: Pythium ultimum, 65
 Gymnosporangium juniperi-virginianae,
 120

 Helicotylenchus sp., 133
 --- nannus, 124, 127
 Helminthosporium sp., 7, 11, 13
 --- avenae, 115
 --- carbonum, 118
 --- cynodontis, 8
 --- dictyoides, 123

- (*Helminthosporium*) *giganteum*, 8
 --- *heveae*, 11
 --- *maydis*, 18, 118; on sweet corn, 118
 --- *oryzae*, 13
 --- *sacchari*, 16
 --- *sativum*, 6, 18, 115
 --- *sesami*, 16
 --- *stenospilum*, 111
 --- *torulosum*, 13
 --- *turcicum*, 17, 18, 118
 --- *vagans*, 123
 --- *victoriae*, 114, 115
 --- *vignicola*, 9
 Herbaceous plants: *Verticillium albo-atrum*, 37
Herichium laciniatum, 88, 89, 94
Heterodera glycines, 124
 --- *rostochiensis*, 139
Hexachlorobenzene, 117
Hoplolaimus coronatus, 133
 Host index of *Verticillium albo-atrum* Reinke & Berth. (including *Verticillium dahliae* Kleb.), Suppl. 244, pp. 23-49
 Host range: *Pseudomonas lachrymans*, 136
Hydrangea macrophylla: ringspot (virus), 127
Hymenochaete tabacina, 89, 95
Hypoxylon fragiforme, 88
 --- *pruinatum*, 131
 Idaho, 58, 65, 121
Idriella lunata, 119
Ilex aquifolium: *Phytophthora ilicis* n. sp. (Oregon and Washington), 112
 Illinois, 58, 60, 118, 129, 132
 Index to Supplements 1957, 143-153
 Indiana, 58, 60, 111, 124, 133
 Insect vectors: transmission of plant viruses by, 105
 Internal browning, of tomato, 138
 Iowa, 58, 59, 60, 111, 125
Ipomoea bona-nox x *I. hederacea*: internal cork virus, good indexing host for, 136
 Iran, 140
Iris spp.: *Puccinia iridis*, 127
Isariopsis griseola, 15
Isothan Q 15, 121
Itersonilia perplexans, 126
 Japan, 126
Juglans hindsii: *Phytophthora cinnamomi*, 126
 --- *regia*: *Phytophthora cinnamomi*, 126;
Pratylenchus vulnus, 126; *Xanthomonas juglandis*, 126
Juniperus communis: *Phomopsis juniperovora*, 129
 Kansas, 58, 60, 112, 115, 116, 117
 Kentucky, 58, 60, 132, 134, 136
 Kromad, 123, 129
Kuehneomyces mutabilis, 88
 Leaf scald, of cotton, 133
 Leaf spot, of *Philodendron hastatum*, 128
 Legumes: *Belonolaimus gracilis*, 123
Lenzites betulina, 89, 93
 --- *saepiaria*, 90, 91, 92, 96
 --- *striata*, 5
Leptosphaeria avenaria, 115
Lespedeza: *Fusarium*, *Pythium*, *Rhizoctonia*, 125
 --- stipulacea: *Phyllachora les-pedezae*, 124
 Lettuce: *Bremia lactucae*, 136;
 fertilizer injury, 137; rib blight, 137
Leucothoe populifolia: *Elsinoë ledi*, 1st rept. on this host (Florida), 114
Leveillula taurica, 8, 18
 Lianas: *Verticillium albo-atrum*, 32
Liquidambar styraciflua: leader die-back, may result from infection with *Diplodia theobromae*, 130
Litchi chinensis: *Clitocybe tabescens*, 130
Lolium perenne: *Gloeotinia temulenta*, 123
Lophodermium filiforme, 91, 92
 --- *piceae*, 92
 Louisiana, 58, 60, 116, 125, 126, 133, 134, 135, 140
Lupinus angustifolius: *Stemphylium botryosum*, 1st rept. on this host in U. S. (Florida and Georgia), 111; *Stemphylium solani*, 1st rept. on this host (Florida and Georgia), 111
Macrophomina phaseoli, 11, 17, 18, 129
Macrosiphum pisi, 139
 Maine, 60, 139, 140
Malucidin, 121
 Maneb, 134, 136, 137
 Maryland, 88, 112, 124, 129, 132, 134, 138
 Massachusetts, 122, 134, 136, 137
Melampsora albertensis, 94
 --- *bigelowii*, 95
 --- *ribesii-purpureae*, 95
Melampsorium betulinum, 89
Melasmia menziesii, 97
Melilotus officinalis: vein mosaic (virus), 125
Meliola psidii, 15
Meloidodera floridensis, 130
Meloidogyne spp., 132, 133, 134; on tomato, 137
 --- *arenaria*, 127, 135
 --- *hapla*, 127, 135
 --- *incognita*, 127, 133, 135
 --- *acrita*, 124, 127, 133, 135, 137

- (Meloidogyne) javanica, 127, 135, 137
 Melonaplastus differentialis, 136
 Mentha piperita: Sclerotinia sclerotiorum,
 1st rept. on this host (Washington), 113;
 Verticillium albo-atrum, 133
 Merbam, 129
 Michigan, 58, 59, 60, 131, 133, 139, 140
 Micromonospora, 137
 Minnesota, 58, 60, 117, 118, 126, 139, 131
 140
 Mississippi, 60, 65, 123, 126
 Missouri, 58, 60, 120, 124, 133
 Monilinia fruticicola, 121
 Montana, 58, 60, 116, 117, 120
 Mycena citricolor, 7
 Mycosphaerella citrullina, 6
 --- fragariae, 120
 --- tulasnei, 18
 Mycostatin, 121, 129
 Mylone, 134
 Myriogenospora paspali, 14
 Myzus persicae, 135
- N521, 134
 Nabam, 137
 Nebraska, 58, 60, 114
 Nectria galligena, 120
 --- perennans, 120
 Nematodes, on carrot, 8; Crotalaria striata,
 7; tomato, 11
 Neofabraea malicorticis, 120, 122
 --- perennans, 122
 Neomycin sulfate, 139
 New England, 129
 New Jersey, 110, 115, 119, 121, 122, 123,
 130, 131
 New Mexico, 58, 105
 New York, 58, 60, 110, 112, 115, 118, 120,
 121, 123, 126, 128, 131, 134, 136, 139
 Nicaragua, 3
 Nicaraguan plant diseases, preliminary list.
 Suppl. 243, pp. 3-19
 Nidula candida, 98
 Nitidulidae, 131
 North Carolina, 58, 65, 111, 114, 115, 118,
 124, 127, 134, 136, 137, 140
 North Dakota, 58, 60
- Oats: Erysiphe graminis avenae, 115;
 Helminthosporium avenae, 115; Leptosphaeria avenaria, 115; rust, 115;
 Septoria avenae, 115; smut, seed treatment tests, 115
 Ohio, 58, 60, 105, 112, 117, 137, 139, 140
 Oklahoma, 58, 60, 65, 126, 136
 Okra: Ascochyta gossypii, 65
 Oligomycin, 132, 137
 Omadine, 121, 123
 Omadine 1456, 127
 Omadine 1483, 127
 Omadine 1564, 127
- Omphalia flavida, 7
 Onion: Ditylenchus dipsaci, 134;
 Peronospora destructor, 134
 Ophioglossum vulgatum: Curvularia
 crepini, 1st rept. of this fungus
 in North America, (Ohio), 112
 Ophiostoma pluriannulata, 131
 Oregon, 58, 60, 112, 120, 123,
 126, 140
 Ornamentals: Verticillium albo-atrum, 42
 Orthocide 50, 121
 Ovulinia azaleae, 128
- Pacific Northwest, 117, 120
 Paeonia sp.: leaf curl (virus), 127
 Panicum virgatum: Panicum mosaic
 virus, a new virus disease
 (Kansas), 112
 Panus rudis, 89
 Papaver nudicaule: Erysiphe polygoni,
 1st rept. on this host (California),
 113
 Papulaspora byssina, 132
 Paxillus panuoides, 92
 Pea: pea enation mosaic virus, 139;
 root rot, 139; undescribed non-parasitic disease, 139
 ---, crowder: Fusarium moniliforme,
 65
 Peach: Monilinia fruticicola, 121;
 Phomopsis spp., 121; Rhizopus
 stolonifer, 121; yellow bud
 mosaic (virus), 121
 Pear: Erwinia amylovora, 121
 Pelargonium spp.: Fusarium black
 rot, 127; virus diseases in
 Pacific Northwest, 128
 --- hortorum: Alternaria tenuis, 128
 Pellicularia filamentosa, 138
 --- koleroga, 7
 Penicillium, on Prunus domestica,
 121
 Peniophora sheari, 88
 Pennsylvania, 58, 59, 60, 110, 112,
 123, 128, 131, 138
 Peony: leaf curl (virus), 129
 Pepper: cucumber mosaic virus, 135;
 Erysiphe cichoracearum, 1st
 rept. on this host in the United
 States (Florida), 114; Meloidogyne
 spp., 135; Pythium ultimum, 65
 Peridermium coloradense, 87, 91
 Peronospora destructor, 134
 --- effusa, 140
 --- parasitica, 135
 --- tabacina, 134
 Phacidiopycnis pseudotsugae, 129
 Phaeosphaeria oryzae, 13
 Philippines, 126
 Philodendron hastatum: leaf spot

- (*Philodendron hastatum*) (non-par.) 128
Pholiota adiposa, 96
 --- *squarrosoides*, 89
Phoma spp., 129
Phomopsis juniperovora, 129, 130
 --- *persicae*, 121
 --- *pseudotsugae*, 129
Phragmidium rosae-acicularis, 98
 --- *rubi-idaei*, 98
Phyllachora boutelouae, 6
 --- *cornispora*, 14
 --- *inclusa*, 11
 --- *lespedezae*, 124
 --- *maydis*, 18
Phyllocoptura oleivora, 119
Phyllosticta batatas, 11
 --- *phaseolina*, 14
Physalospora obtusa, 120
 --- *tucumanensis*, 15
 Physiologic races of *Puccinia graminis* in the United States in 1956. Suppl 245, pp. 53-60
Physoderma maydis, 19
Physopella fici, 9
Phytophthora spp., on Citrus, 119; tomato, 137
 --- *cinnamomi*, 126
 --- *fragariae*, 120
 --- *infestans*, 12, 16, 137, 139, 140
 --- *lateralis*, 129
 --- *parasitica* var. *nicotianae*, 134
 --- *phaseoli*, 138
 Pimples disease, of watermelon, 136
Pinus spp.: *Cronartium fusiforme*, 130;
 Cronartium ribicola, 130; effect of chemical soil treatments on mycorrhizal fungi and on growth of seedlings, 130; fasciculation of cones, 130
 --- *elliotti*: *Cronartium strobilinum*, 130;
 Meloidodera floridensis, 130
Piricularia grisea, 8, 14, 17
 --- *oryzae*, 13
 Plant diseases, in New Mexico, 105
Platanus spp.: *Gnomonia veneta*, 130
Pleurotus ostreatus, 89, 94
Plowrightia williamsoniana, 4
 PMAS, 130
Poa spp.: *Puccinia striiformis*, 1st rept. on this host (California), 111
 --- *pratensis*: *Helminthosporium* spp., 123
Polygonum punctatum: *Ustilago utriculosa*, 1st rept. on this host in Pennsylvania, 110
 Polypodiaceae: smog damage, 128
Polyporus abietinus, 90 ff., 96
 --- *adustus*, 94
 --- *albellus*, 88, 89, 94
 --- *betulinus*, 88, 90
 --- *borealis*, 92
 --- *cristatus*, 97
 --- *cuneatus*, 95
 --- *dichrous*, 90
 --- *elegans*, 96
 --- *fibrillosus*, 91, 93, 96
 --- *fissilis*, 131
 --- *hirsutus*, 90, 94
 --- *hispidus*, 131
 --- *licnoides*, 5
 --- *pargamenus*, 90, 91, 93, 94
 --- *perennis*, 97
 --- *picipes*, 94
 --- *pubescens*, 94
 --- *radiatus*, 89
 --- *resinosus*, 90, 96, 97
 --- *sanguineus*, 5
 --- *schweinitzii*, 93, 96
 --- *serialis* f. *alaskanus*, 93
 --- *sulphureus*, 93, 96
 --- *tomentosus*, 91
 --- *varius*, 98
 --- *versicolor*, 88, 90, 94
 --- *zonatus*, 94
Populus tremuloides: *Hypoxylon pruina*, 131
Poria, 88
 --- *albobrunnea*, 93
 --- *crassa*, 97
 --- *crustulina*, 91
 --- *ferrugineofusca*, 95
 --- *sitchensis*, 93
 --- *subacida*, 96
 Potato: *Alternaria solani*, 139; antibiotics and fungicides for control of bacterial and fungous decay of seed pieces, 139; *Erwinia atroseptica* and *E. carotovora*, 139; leaf roll (virus), 140; *Phytophthora infestans*, 139, 140; stem rot, 139; stem rot (a bacterium), 140; *Stemphylium solani*, 140; *Streptomyces scabies*, 140; *Verticillium albo-atrum*, 140
Pouteria campechiana: *Elsinoë lepagei*, 1st rept. on this host (Florida), 113
Pratylenchus sp., 125
 --- *penetrans*, 120
 --- *vulnus*, 126
 Preliminary list of Nicaraguan plant diseases. Suppl. 243, pp. 3-19
Prunus spp.: compared as indexing hosts for stone fruit viruses, 120
 --- *domestica*: *Penicillium*, 121; prune crinkle leaf (genetic instability), 121
Pseudomonas caryophylli, 127
 --- *cichorii*, 135
 --- *lachrymans*, 7, 136
 --- *stizolobii*, 112
 --- *syringae*, 139
 --- *tabaci*, 134
Pseudoperonospora cubensis, 6 ff., 136

- Psychrometer, thermistor-equipped, for plant research, 105
- Puccinia* spp., on wheat, 116
- *arachidis*, 4
 - *canaliculata*, 8
 - *caricis grossulariata*, 97
 - *cenchri*, 6
 - *chaetochloae*, 11
 - *coronata* var. *avenae*, 115
 - *cynodontis*, 8
 - *emiliae*, 8
 - *deformata*, 13
 - *gonolobi*, 9
 - *graminis* 18, 115, 117, physiologic races of, in the United States 53
 - --- *avenae*, 53
 - --- *tritici*, 53, 115, 117
 - *iridis*, 127
 - *medellinensis*, 11
 - *obtecta*, 16
 - *peridermiospora*, 129
 - *poarum*, 97
 - *polysora*, 17, 19
 - *purpurea*, 17
 - *recondita* (see also *P. rubigo-vera*), 18, 117
 - *ribis*, 97
 - *rubigo-vera* (*P. recondita*), 117
 - --- var. *tritici* (*P. recondita*), 129
 - *sorghii*, 19
 - *striiformis*, 111
- Pucciniastrum pustulatum*, 97
- Pucciniopsis caricae*, 5
- Pyrenochaeta terrestris*, 129
- Pythium* sp., 10, 13
- *debaryanum*, 118, 125
 - *graminicola*, 118
 - *ultimum*, 63, 120, 126, 129
- Quercus* spp.: *Ceratocystis fagacearum*, 131; effects of X-rays on germination of conidia of *Ceratocystis fagacearum*, 131; *Fomes phellos*, *Polyporus fissilis*, *P. hispidus*, 131; frost cracks, 132; unknown factor causing extensive dying of trees in Pa., 131
- *coccinea*: dying in West Virginia, 131
 - *laevis*: new disease in Florida, 118
 - *macrocarpa*: *Ceratocystis fagacearum*, 131
 - *palustris*: *Ceratocystis fagacearum*, 131
- Races, of *Puccinia graminis*, 53
- Radopholus gracilis*, 113, 123
- *similis*, 119
- Ramularia* sp., 14
- *areola*, 10
 - *phaseolina*, 15
- Rhizoctonia solani*, 5 ff., 10 ff., 15, 16, 63, 124, 125, 133, 137, 138
- Rhizopus arrhizus*, 127
- *nigricans*, 138
 - *stolonifer*, 121
- Rhode Island, 129
- Rhododendron* spp. (*azalea*): *Ovulinia azaleae*, 128
- Rhynchosporium secalis*, 116
- Rib blight, of lettuce, 137
- Ribes* spp.: *Cronartium occidentale* and *C. ribicola*, 122
- Rice: *Aphelenchoides oryzae*, 116; seed treatment tests, 116
- Ricinus communis*: tobacco ringspot (virus), 134
- Rimocidin, 132
- Rimocidin sulfate, 139
- Root rot, of bean, 138
- Root rot complex, of *Strelitzia reginae*, 129
- Root rots, of pea, 139
- Rosa* spp.: *Agrobacterium tumefaciens*, 128; *Diplocarpon rosae*, 128; *Sphaerotheca* spp., 128
- Rosellinia bunodes*, 7
- *solani*, 11
- Rots, of cranberry, 122
- Russet, of Citrus fruits, 119
- Saccharum officinarum*: *Tylenchorhynchus*, 134
- Saintpaulia ionantha*: *Botrytis cinerea*, 128
- Sclerophthora macrospora*, 111
- Sclerotinia camelliae*, 110
- *ricini*, 15
- Sclerotium rolfsii*, 4, 5, 12, 15, 16, 18, 132
- Seed treatment tests, for control of bunt of wheat and smut of oats, 115
- Seedling necrosis, of cotton, 133
- Semesan Bel, 139
- Septoria avenae*, 115
- *dianthi*, 8
- Sewage and polluted water, fungi in, 105
- Shrubs: *Verticillium albo-atrum*, 32
- Small fruits: *Verticillium albo-atrum*, 32, 37
- Small grains: disease in New Jersey, 115
- Smog damage, to ferns, 128
- Sodium salts, 121
- Soil steamer, small, inexpensive, multipurpose unit, 105
- Solanum* spp.: *Heterodera rostochiensis*, 139
- *sarachoides*: *Colletotrichum atramentarium*, *Fusarium roseum*, *Macrophomina phaseoli*, *Phoma* spp., *Pyrenochaeta terrestris*, *Pythium ultimum*, 129
- Some new and important plant disease

- occurrences and developments in the U. S. in 1956. Suppl. 248: 101-140
- Sorghum*: *Sphacelotheca reiliana*, 116; tested for reaction to the phytotoxic action of a liquid mercury fungicide, 116
- Sorosporium syntherismae*, 6
- South Dakota, 58, 60
- South Carolina, 58, 65, 110, 118, 121, 133ff., 139
- Soybean: *Alternaria* spp., 124; *Ascochyta gossypii*, 65; *Cercospora kikuchii*, 123; chlorosis, 124; *Diaporthe phaseolorum* var. *caulivora*, 124; *Helicotylenchus nannus*, 124; *Heterodera glycines*, 124; *Meloidogyne incognita acrita*, 124; *Rhizoctonia solani*, deficiency in certain elements, 124; tomato ringspot virus, 1st rept. of seed transmission, 124
- Sparganium greenii*: *Radopholus gracilis*, 1st rept. in this country and first rept. on this host, (California), 113
- Sphaceloma fawcettii*, 6
- *poinsettiae*, 9
- *psidii*, 114
- Sphacelotheca cruenta*, 17
- *reiliana*, 116
- *sorghii*, 17, 116
- Sphaerotheca* spp., on *Rosa* spp., 128
- *macularis*, 120
- *pannosa*, 15
- Spinach: *Peronospora effusa*, 140
- Steccherinum ochraceum*, 89
- Stem rot, of potato, 139, 140
- Stemphylium botryosum*, 111
- *solani*, 111, 140
- *trifolii*, 112
- Stereum gausapatum*, 88
- *hirsutum*, 89, 90, 94
- *purpureum*, 88, 89, 90, 94, 121
- *rufum*, 94
- *sanguinolentum*, 88, 91, 93, 96
- Strawberry: *Botrytis cinerea*, 119; *Idriella lunata*, 119; *Mycosphaerella fragariae*, 120; *Phytophthora fragariae*, *Pratylenchus penetrans*, *Sphaerotheca macularis*, *Verticillium albo-atrum*, virus diseases, 120
- Strelitzia reginae*: root rot complex, hotwater treatment effective, 129
- Streptomyces scabies*, 16, 140
- Streptomycin*, 118, 121, 126, 134, 139
- Streptomycin* nitrate, 134
- Streptomycin* S, 126
- Streptomycin* sulfate, 132
- Striga* sp., on corn, 110, 111
- *asiatica*, 118
- Stromatinia* root rot, of *Gladiolus* spp., 127
- Sulfur dust, 121
- Survey, of forage crop diseases in New England, New Jersey and New York, 123
- Sweetpotato: *Ceratocystis fimbriata*, 136; internal cork (virus), 136
- Syringa vulgaris*: *Tylenchulus semi-penetrans*, 1st rept. on this host (California), 113
- Systox-lead arsenate, 128
- Tarsonemus pallidus*, 128
- Temperature as a factor in the infection of cotton seedlings by ten pathogens, Suppl. 246, pp. 63-84
- Tennessee, 58, 60, 124, 132, 134, 138
- Ternstroemia gymnanthera*: *Elsinoë leucospila*, 1st rept. on this host (Florida), 114
- Terraclor, 127, 132
- Terramycin, 118, 123, 126
- Tetrachloroethylene, 121
- Texas, 58, 60, 65, 115, 116, 119, 123, 133
- Thalictrum dioicum*: *Puccinia rubigo-vera* var. *tritici*, 129
- Thielaviopsis basicola*, 63, 134
- Thiram, 119
- Tilletia* spp., on wheat, 117
- *caries*, 117
- Tobacco: *Colletotrichum* sp., *Fusarium oxysporum* var. *nicotianae*, *Meloidogyne* spp., 133; *Pero-nospora tabacina*, *Phytophthora parasitica* var. *nicotianae*, *Pseudomonas tabaci*, 134; *Thielaviopsis basicola*, 65, 134; *Tylenchorhynchus claytoni*, 133; virus diseases, 134
- Tomatine, 127
- Tomato: *Alternaria solani*, 137; blossom-end rot, 137, 138; *Botrytis cinerea*, 137; *Cladosporium fulvum*, 137; *Fusarium oxysporum* f. *lycopersici*, 137; internal brown-ing, 138; *Meloidogyne* spp., *Phytophthora* spp., *P. infestans*, *Rhizoctonia solani*, 137; *Rhizopus nigricans*, rosette (virus complex), 138
- Trametes heteromorpha*, 88, 91, 93, 96
- *mollis*, 89
- *serialis*, 91
- *setosus*, 90
- *suaveolens*, 93, 94
- *tenuis*, 90
- *variiformis*, 94
- Transmission, of plant viruses by insect vectors, 105
- Trees: *Verticillium albo-atrum*, 25
- Trematosphaerella oryzae*, 13
- Tribasic copper sulfate, 138
- Trichodorus* sp., 133
- Trifolium hybridum*: vein mosaic (virus), 125

- (*Trifolium*) *pratense*: vein mosaic (virus), 125
- *repens*: *Pratylenchus* sp., 125; *Pseudomonas stizolobii*, 1st rept. on this host (New York), 112; *Tylenchorhynchus* sp., 125
- var. *Ladino*: *Fusarium roseum*, *Pythium debaryanum*, *Rhizoctonia solani*, 125; *Stemphylium trifolii*, 1st rept. on this host, (Pennsylvania), 112; viruses, 125
- Troglia crispa*, 90
- Tsuga heterophylla*: dwarfmistletoe, 87
- Tylenchorhynchus* sp., 133, 134
- *claytoni*, 134
- Tylenchulus semipenetrans*, 113, 119
- Typhula* spp., 117
- Ulmus* spp.: *Ceratocystis ulmi*, spread in 1956, 132
- phloem necrosis (virus), 132
- Uncinula salicis*, 95
- Uraecium holwayi*, 96
- Uredo scabies*, 18
- Urocystis* spp., on wheat, 117
- *agropyri*, 117
- Uromyces caryophyllinus*, 127
- *dolicholi*, 5
- *eragrostidis*, 9
- *phaseoli*, 15
- *striatus*, 12
- Ustilaginoidea virens*, 13
- Ustilago* spp., on wheat, 117
- *bullata*, 123
- *maydis*, 19
- *nuda*, 116
- *utriculosa*, 110
- Vapam*, 119, 127, 134, 140
- Vegetables: *Verticillium albo-atrum*, 37
- Venturia inaequalis*, 120
- Verticillium albo-atrum*, 10, 23, 63, 120, 133, 140
- *dahliae*, 23
- Vigna sinensis*: *Fusarium oxysporum* f. *tracheiphilum*, 125
- Virginia, 58 ff., 115, 131, 132, 134, 138
- Virus diseases, of *Canavalia ensiformis*, 5; *Capsicum frutescens*, 5; *Carica papaya*, 5; cotton, 10; *Hibiscus cannabinus*, 11; *Ladino* clover, 125; *Manihot utilisima*, 12; *Pelargonium* spp., 128; *Phaseolus aureus*, 14; *Phaseolus vulgaris*, 14; potato, 16; soybean, 9; squash, 8; strawberry, 120; tobacco, 134; tomato, 12; *Vigna sinensis*, 18
- ---: crazy top of *Cajanus cajan*, 5
- ---: flower distortion of *chrysanthemum*, 126
- ---: internal cork of sweetpotato, 136
- ---: Lambert mottle of cherry, 120
- ---: leaf curl of peony, 127, 129
- ---: leaf roll of potato, 140
- ---: (mosaics) barley stripe mosaic of wheat, 117; cucumber mosaic of *Gladiolus*, 127; of pepper, 135; mosaic of blueberry 122; cereals 115, cucumber, 7, *Cucumis melo* 7, mung bean 14, mosaic of tobacco 13, wisteria 129; *Panicum* mosaic of *Panicum virgatum*, 112; pea enation mosaic of pea, 139; stripe mosaic of barley, 116; vein mosaic of alsike clover, red clover, sweet clover, 125; yellow bud mosaic of peach, 121
- ---: motley dwarf of carrot, 114
- ---: phloem necrosis of elm, 132
- ---: ringspot of *Gomphrena globosa*, *Hydrangea macrophylla*, 127
- ---: rosette of tomato, 138
- ---: shoestring of blueberry, 122
- ---: stem pitting of apple (of virus nature), 120
- ---: streak of corn, 19; sorghum, 17; sugar cane, 16
- ---: stunt of corn, 19; of sugar cane, 16
- ---: tobacco ringspot of castorbean, 134
- ---: tomato ringspot of *Gomphrena globosa*, 112
- ---: tomato ringspot of soybean, 124
- ---: tristeza of Citrus, 119
- ---: twisted leaf virus, 120
- ---: western aster yellows of cucurbits, 136
- ---: yellow vein disease of sugar beet, 132
- Vitis* spp.: *Plasmopara viticola*, 122
- *californica*: *Plasmopara viticola*, 122
- *vinifera* var. *Emperor*: *Tylenchulus semipenetrans*, 1st rept. on this host (California), 113
- Washington, 58, 59, 112, 113, 126
- Watermelon: fungicidal control of foliage diseases, 135; pimples disease, yellow strain of tobacco ringspot virus associated, 136; *Pseudoperonospora cubensis*, 136
- Weather 1956: destructive storms, 104; drought, 103; maps, 106 ff.; precipitation, 102; snowfall, 104; summary, 101; temperature, 101
- Weather injuries: frost cracks caused by sudden temperature drops, 132; lightning damage to cotton, 10
- Weeds: *Verticillium albo-atrum*, 42
- West Virginia, 58, 132
- Wheat: barley stripe mosaic (virus),

(Wheat) 117; bunt, seed treatment tests, 115;
Cephalosporium gramineum, 1st rept.
 on this host in New York, 110; *Fusarium*
nivale, 117; *Puccinia* spp., 116; studies
 on toxicity of mercurial seed disin-
 fectants, 116; *Tilletia* spp., *Typhula* spp.,
Urocystis spp., *Ustilago* spp., 117
 Wilt, of *Canavalia ensiformis*, 5
 Wisconsin, 58 ff., 115, 117, 125, 131, 132,
 134, 139, 140
Wisteria sp.: mosaic (virus), 129
 WK-34, 129
 Woody plants: *Verticillium albo-atrum*, 25
 Wyoming, 60, 138, 140

Xanthomonas alfalfae, 12, 111, 125
 --- *juglandis*, 126
 --- *malvacearum*, 10, 63
 --- *oryzae*, 13
 --- *pelargonii*, 128
 --- *phaseoli*, 15
 --- --- var. *sojensis*, 9
 --- *ricinicola*, 15
Xiphinema diversicaudatum, 127
Xylaria cornu-damae, 6
 Zinc salts, 121
 Zineb, 119, 134, 136, 137
 Ziram, 129, 137

ERRATA

On page 8, 2nd line read *Erysiphe cichoracearum* instead of *Erysiphe cichorocearum*.
 On page 17, 10th line from top read *Sphacelotheca sorghi* instead of *Spacelotheca sorghi*.
 On page 123, under LEGUMES read *Belonolaimus gracilis* instead of *Belonalaimus*
gracilis.

MYCOLOGY AND PLANT DISEASE REPORTING SECTION

